

## Referral Form – PillCheck

Please complete the form and forward with supporting documentation to Banyan Work Health Solutions' Administrative Centre by email at [admin@banyanconsultants.com](mailto:admin@banyanconsultants.com) or via fax to our toll free number **1-877-263-0123** or **416-588-9235**

**Mandatory Criterion** Confirmation that the client agreed to the PillCheck report being shared with the attending physician

### Referral Source Information

Referral Source Name				Title	
Company					
Address					
City	Province		Postal Code		
Telephone (Toll Free)	Direct Line		Fax		
Email					

### Client Information

Name				Telephone	
Employee ID					
Address					
City	Province		Postal Code		
Email					
Gender	<input type="checkbox"/> Male	<input type="checkbox"/> Female	Date of Birth (d/m/y)		
Occupation					
Has the claimant been advised about the referral?	<input type="checkbox"/> Yes		<input type="checkbox"/> No		
Interpreter Required	<input type="checkbox"/> Yes	<input type="checkbox"/> No	Language		

### Physician Information (Please Skip if you are the Employer)

Physician Name				Position/Title	
Company					
Address					
City	Province		Postal Code		
Telephone (Toll Free)	Direct Line		Fax		
Email					

### Claim Information (This section is for Insurers only)

Claim Number				Policy Number	
Date of Disability			Occupation	<input type="checkbox"/> Own <input type="checkbox"/> Any <input type="checkbox"/> Any from Outset <input type="checkbox"/> Regular	
Monthly Benefit Amount			Commensurate Earnings		

### Diagnosis (Please Skip if you are the Employer)

Primary Diagnosis					
Secondary Diagnosis					

## Referral Form – PillCheck

### Referral Goals

- concerns with perceived poor response to medication/dose changes with regards to medications
- to minimize side effects
- to maximize clinical effectiveness of current medications
- Other

### Medication History (Please skip if you are the Employer)

Drug name	Dose	How many Times a day	Reason for Taking	Medication Start Date	Medication End Date	Reason for Stopping Medication	Patient's response	Patient's side effects

### Eligibility Criteria (Check if applicable)

- Taking one or more meds tested by PillCheck (see appendix below)
- Reported side effects
- Reported poor response to current and/or past medication regimens prescribed by physician
- History of medication/dose changes with little impact on improved response to medication

### Exclusion Criteria

- Taking the same dose and the same medication for 12 months or more with no reported side effects.
- Non-adherent due to reasons other than “not feeling better” (non-medical influencing factors).
- Active addiction as evidenced by the use of multiple opioids prescribed by multiple physicians.
- Diagnosis of schizophrenia or bipolar disorder.

## Referral Form – PillCheck

Liver transplant recipient.

### APPENDIX

#### List of medications most commonly prescribed

Generic Name	Branded Name	Warning signs of potential side effects or lack of efficacy	Required Action
<u>Anticoagulants</u> Acenocoumarol Warfarin	Sintrom Coumadin	Bleeding, headache, shortness of breath, stroke	Lower dose or alternative medication
<u>Anti-platelet</u> Clopidogrel	Plavix	Nausea, dizzy, shortness of breath, numbness, catastrophic bleeding, stroke, fatal heart attack	Identify poor metabolizers via PillCheck Must be switched to alternative medication
<u>Anti-arrhythmic</u> Carvedilol Flecainide Metoprolol Propranolol	Coreg Tambocor Lowpressor Inderal	Dizziness, loss of balance, tiredness, shortness of breath, nausea, depression, insomnia, heart failure	Lower dose or alternative medication
<u>Statins</u> Atorvastatin Simvastatin	Lipitor Zocor	Muscle and joint pain, tiredness, cramping, nausea, headache, delirium	Lower dose with Co-Q10, switch to rosuvastatin
<u>Antidepressants</u> Aripiprazole Citalopram Fluoxetine Diazepam Venlafaxine Sertraline Amitriptyline	Abilify Cipralex Prozac Valium Effexor Zoloft Elavil	Lack of efficacy, sedation, insomnia, withdrawal, nausea, drowsy, dizzy, weakness, confusion, paranoia, psychosis	Decrease or increase dose; alternative medication
<u>Pain Killers</u> Celecoxib Flurbiprofen Codeine Oxycodone	Celebrex Ocufer Tylenol 3 Percocet	Lack of efficacy, heart attack, bleeding, depression, addiction, euphoria, numbness, nausea, vomiting, dizziness, drowsiness	Decrease or increase dose; alternative medication
<u>Proton Pump Inhibitors</u> Esomeprazole Omeprazole Lansoprazole	Nexium Prilosec Prevacid	Lack of efficacy, gastritis, stomach pain, burning, allergies, weight gain, depression, severe bone and joint pain	Decrease or increase dose